

MULTITEL MJ600

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	14/11/13	F.F.		
INGOMBRO - SCHEDA 54/1 - Rev. 0 - 15/12/00						


D51333

P.T.T.=32000 kg
G.V.W.=32000 kg
P.T.A.C.=32000 kg
GES. GEWICHT=32000 kg

STABILIZZATORI COMPLETAMENTE ESTESI
FULLY EXTENDED STABILIZERS
STABILISATEURS COMPLETEMENT ETENDUS
GANZ AUSGEFAHRENE STÜTZEN

SBRACCIO DI LAVORO
WORKING OUTREACH
DEPORT DE TRAVAIL
SEITLICHE REICHWEITE

600Kg	400Kg	280Kg	120Kg
28,5 m ±5%	31,0 m ±5%	33,0 m ±5%	35,5 m ±5%
28,5 m ±5%	31,0 m ±5%	33,0 m ±5%	35,5 m ±5%
28,5 m ±5%	31,0 m ±5%	33,0 m ±5%	35,5 m ±5%
28,5 m ±5%	31,0 m ±5%	33,0 m ±5%	35,5 m ±5%



MULTITEL MJ600

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	14/11/13	F.F.		
INGOMBRO - SCHEDA 54/1 - Rev. 0 - 15/12/00						


D51334

P.T.T.=32000 kg
G.V.W.=32000 kg
P.T.A.C.=32000 kg
GES. GEWICHT=32000 kg

STABILIZZATORI PARZIALMENTE ESTESI
PARTIALLY EXTENDED STABILIZERS
STABILISATEURS ETENDUS PARTIELLEMENT
PARTIAL AUSGEFAHRENE STÜTZEN

SBRACCIO DI LAVORO
WORKING OUTREACH
DEPORT DE TRAVAIL
SEITLICHE REICHWEITE

600Kg	400Kg	280Kg	120Kg
20,7 m ±5%	22,7 m ±5%	24,2 m ±5%	26,0 m ±5%
20,7 m ±5%	22,7 m ±5%	24,2 m ±5%	26,0 m ±5%
20,7 m ±5%	22,7 m ±5%	24,2 m ±5%	26,0 m ±5%
20,7 m ±5%	22,7 m ±5%	24,2 m ±5%	26,0 m ±5%



MULTITEL MJ600

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	13/04/21	F.Z.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						


D68603

P.T.T.=32000 kg
G.V.W.=32000 kg
P.T.A.C.=32000 kg
GES. GEWICHT=32000 kg

STABILIZZATORI IN SAGOMA
STRAIGHT LINE STABILIZERS
STABILISATEURS EN GABARIT
STÜTZEN INNERHALB DER FAHRZEUGBREITE




SBRACCIO DI LAVORO
WORKING OUTREACH
DEPORT DE TRAVAIL
SEITLICHE REICHWEITE

600Kg	400Kg	280Kg	120Kg
16,45 m ±5%	18,45 m ±5%	19,95 m ±5%	21,75 m ±5%
16,45 m ±5%	18,45 m ±5%	19,95 m ±5%	21,75 m ±5%
16,45 m ±5%	18,45 m ±5%	19,95 m ±5%	21,75 m ±5%
16,45 m ±5%	18,45 m ±5%	19,95 m ±5%	21,75 m ±5%



MULTITEL MJ600

Codice			1D87131			
Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	00	EMISSIONE	16/06/23	L.B.	R.F.	F.F.
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						



MULTITEL MJ600


Codice			1D87134			
Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	00	EMISSIONE	16/06/23	L.P.	R.F.	F.F.
INGOMBRO - SCHEDA 54/1 - Rev. 0 - 15/12/00						



1500kg


16,70m ±5%

partial
extension



TON

32,00



MULTITEL MJ600

Codice			1D87133			
Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	00	EMISSIONE	16/06/23	L.B.	R.F.	F.F.
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

minimal ext




TON

32,00



1500kg

14,00m ±5%



MULTITEL MJ600

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	13/04/16	L.B.		
INGOMBRO - SCHEDA 54/1 - Rev. 0 - 15/12/00						


D56354

P.T.T.=32000 kg
G.V.W.=32000 kg
P.T.A.C.=32000 kg
GES. GEWICHT=32000 kg

STABILIZZATORI COMPLETAMENTE ESTESI
FULLY EXTENDED STABILIZERS
STABILISATEURS COMPLETEMENT ETENDUS
GANZ AUSGEFAHRENE STÜTZEN

SBRACCIO DI LAVORO 24,4 m ±5%
WORKING OUTREACH 24,4 m ±5%
DEPORT DE TRAVAIL 24,4 m ±5%
SEITLICHE REICHWEITE 24,4 m ±5%

900Kg



MULTITEL MJ600

Codice			1D87132			
Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	00	EMISSIONE	16/06/23	L.B.	R.F.	F.F.
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

